Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
S1	18	(US-20050005128-\$ or US-20020010679-\$).did. or (US-6282649-\$ or US-7047422-\$ or US-5742756-\$ or US-5534855-\$ or US-5649185-\$ or US-5657388-\$ or US-6615264-\$ or US-6049877-\$ or US-5915019-\$ or US-5910987-\$ or US-592730-\$ or US-5907621-\$ or US-6193153-\$).did. or (EP-204994-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/05 10:52
S2	17	S1 and (user near9 (table or array or list or application or module))	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/05 11:27
S3	3	S1 and (user near2 right near7 table)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/05 11:27
S4	18	(US-20050005128-\$ or US-20020010679-\$).did. or (US-6282649-\$ or US-7047422-\$ or US-5742756-\$ or US-5534855-\$ or US-5649185-\$ or US-5657388-\$ or US-6615264-\$ or US-6049877-\$ or US-5915019-\$ or US-5910987-\$ or US-592730-\$ or US-5907621-\$ or US-6193153-\$).did. or (EP-204994-\$).did.	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 09:07
S6	17	S4 and (user near9 (table or array or list or application or module))	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 08:28
S7	3	S4 and (user near2 right near7 table)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 08:29
S11	3	S7 and (user near2 right near7 table) and decrypt\$4	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 08:35
S12	2	S7 and (user near2 right near7 table) same decrypt\$4	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 08:35

S13	18	S4 and (table or database or (data adj base) or (data adj stor\$4) or (stor\$4 adj data))	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 09:14
S14	18	S4 and (table or database or (data adj base) or (data adj stor\$4) or (stor\$4 adj data) or directory)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 09:15
S15	18	S4 and ((table or database or (data adj base) or (data adj stor\$4) or (stor\$4 adj data) or directory) same user)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 09:15
S16	16	S4 and ((table or database or (data adj base) or (data adj stor\$4) or (stor\$4 adj data) or directory) with user)	US-PGPUB ; USPAT; EPO	OR	ON .	2007/02/08 09:15
S17	15	S4 and ((table or database or (data adj base) or (data adj stor\$4) or (stor\$4 adj data) or directory) near9 user)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 09:29
S18	5	S17 and ATM	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 10:21
S19	2	("6078586" or "5764789").pn.	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 10:16
S23	5	S13 and (automat\$3 adj teller adj machine)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 10:22
S24	5	S17 and (automat\$3 adj teller adj machine)	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 10:46
S25	26	(automat\$3 adj teller).ti. and ((user or account) with (table or database))	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 14:02
S26	18	(automat\$3 adj teller).ti. and ((users or (account adj holders)) with (table or database))	US-PGPUB ; USPAT; EPO	OR	ON	2007/02/08 14:03
S28	5	(automat\$3 adj teller).ti. and ((users or (account adj holders)) with (table or database))	US-PGPUB ; USPAT; EPO	OR	OFF	2007/02/08 14:06
S29	32909	((users or (account adj holders)) with (table or database))	US-PGPUB ; USPAT; EPO	OR	OFF	2007/02/08 14:07
S30	3249	S29 and (search\$4 or sort\$4 or compar\$5 or verif\$8) and decrypt\$4	US-PGPUB ; USPAT; EPO	OR	OFF	2007/02/08 14:09

S31	89	S29 same (search\$4 or sort\$4 or compar\$5 or verif\$8) same decrypt\$4	US-PGPUB ; USPAT; EPO	OR	OFF	2007/02/08 14:09
S32	19	S29 with (search\$4 or sort\$4 or compar\$5 or verif\$8) with decrypt\$4	US-PGPUB ; USPAT; EPO	OR	OFF	2007/02/08 14:09
S34	2036	713/182-186.ccls. or 705/15-18. ccls.	USPAT	OR	ON	2007/02/08 15:08
S35	365	S34 and (access adj control)	USPAT	OR	ON	2007/02/08 15:09
S36	248	S35 and (list or table)	USPAT	OR	ON	2007/02/08 15:09
S37	88	S35 and ((list or table) near4 user)	USPAT	OR	ON	2007/02/08 15:10
S38	49	S37 and decrypt\$4	USPAT	OR	ON	2007/02/08 15:10
S39	3771620	@prad<"20031030" @rlad<"20031030" @ad<"20031030"	USPAT	OR	ON	2007/02/08 15:07
S40	4441	713/182-186.ccls. or 705/15-18. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:08
S41	2848624 8	@prad<"20031030" @rlad<"20031030" @ad<"20031030"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:09
S42	3746	S40 and S41	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 15:09
S43	364	S42 and (access adj control)	USPAT	OR	ON	2007/02/08 15:09
S44	247	S43 and (list or table)	USPAT	OR	ON	2007/02/08 15:09
S45	88	S43 and ((list or table) near4 user)	USPAT	OR	ON	2007/02/08 15:10
S46	49	S45 and decrypt\$4	USPAT	OR	ON	2007/02/08 17:02

S47	6907	user adj specific	USPAT	OR	ON	2007/02/08 17:02
S48	7	user adj specific adj table	USPAT	OR	ON	2007/02/08 17:03
S49	7	S48 and S41	USPAT	OR	ON	2007/02/08 17:13
S50	4	decrypt\$4 near9 (address adj book)	USPAT	OR	ON	2007/02/08 17:18
S51	4	S50 and S41	USPAT	OR	ON	2007/02/08 17:14
S52	234	decrypt\$4 near9 (account)	USPAT	OR	ON	2007/02/08 17:18
S53	233	S52 and S41	USPAT	OR	ON	2007/02/08 17:20
S54	60	S53 and ((list or table) near4 user)	USPAT	OR	ON	2007/02/08 17:21

2/24/2007 11:52:36 AM Page 4

Ref #	Hits	Search Query	DBs	Default Operato r	Plural s	Time Stamp
L1	4715812	"15" not (international adj business adj machines adj corporation).as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 07:57
L2	47708	713/182-186.ccls. 726/1-10.ccls. 726/16-21.ccls. 726/26-30.ccls. 705/50-51.ccls. 705/64-76.ccls. 705/1-11.ccls. 705/15-18.ccls. 705/26-29.ccls. 705/30-44.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 07:57
L3	38733	(@prad<"20031030" @rlad<"20031030" @ad<"20031030") and L2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 07:57
L4	28	L3 and ((user\$4 near3 request\$4) same (((table or database or list or record or file) adj \$2crypt\$4) or (\$2crypt\$4 adj (table or database or list or record or file))) same authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 07:57
L5	27	4 not (international adj business adj machines adj corporation). as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 08:12
L6	1	"5629980".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2007/02/24 08:13
L8	329	(software adj token) or ((two\$factor or two adj factor) adj authentication)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 10:02
L9	96	8 and 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 09:37
L11	3	9 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 09:37
S1	47708	713/182-186.ccls. 726/1-10.ccls. 726/16-21.ccls. 726/26-30.ccls. 705/50-51.ccls. 705/64-76.ccls. 705/1-11.ccls. 705/15-18.ccls. 705/26-29.ccls. 705/30-44.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:43

				T		
S2	38733	(@prad<"20031030" @rlad<"20031030" @ad<"20031030") and S1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:45
S3	12	S2 and ((user\$4 near3 request\$4) near9 ((table or database or list) near4 \$2crypt\$4) and authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:21
S4	2	S2 and ((authenticat\$5 near9 (user\$4 near3 request\$4) near9 ((table or database or list) near4 \$2crypt\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:59
S5	2	S2 and (authenticat\$5 near9 ((user\$4 near3 request\$4) near9 ((table or database or list) near4 \$2crypt\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:58
S6	2	S2 and (((authenticat\$5 near9 user\$4 near3 request\$4) near9 ((table or database or list) near4 \$2crypt\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:58
S7		S2 and ((authenticat\$5 same (user\$4 near3 request\$4) near9 ((table or database or list) near4 \$2crypt\$4)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 11:59
S8	14	S2 and ((user\$4 near3 request\$4) same ((table or database or list) near4 \$2crypt\$4) same authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:22
S9	9	S8 and (encrypt\$3 adj (record or file or data))	US-PĞPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:21
S10	9	S8 and (encrypt\$3 adj (record or file or data or table))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:21
S11	9	S8 and (encrypt\$3 adj (record or file or data or table or database or list))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:22
S12	38	S2 and ((user\$4 near3 request\$4) near9 ((table or database or list or record or file) near4 \$2crypt\$4) and authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:21

S13	67	S2 and ((user\$4 near3 request\$4) same ((table or database or list or record or file) near4 \$2crypt\$4) same authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:27
S14	59	(S12 or S13) and (encrypt\$3 adj (record or file or data or table or database or list))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 16:23
S15	28	S2 and ((user\$4 near3 request\$4) same (((table or database or list or record or file) adj \$2crypt\$4) or (\$2crypt\$4 adj (table or database or list or record or file))) same authenticat\$5)	US-PGPUB ; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/24 07:55



Advanced Search Tips | About Google Scholar

Find articles	with all of the words	private key	100 results	Search Scholar
	with the exact phrase	software token	,	
	with at least one of the words		•	
	without the words .		•	
	where my words occur	anywhere in the article 🔻	•	
Author	Return articles written by	e.g., "PJ Hayes" or McCarthy		
Publication	Return articles published in	e.g., <i>J Biol Chem</i> or <i>Nature</i>	•	
Date	Return articles published between	1974 2002 e.g., <i>1996</i>		
Subject Areas	© Return articles in all subject ar	reas.		
	Return only articles in the follo	owing subject areas:		
	☐ Biology, Life Sciences, and	d Environmental Science		
	☐ Business, Administration, I	Finance, and Economics		
	☐ Chemistry and Materials S	cience		
	☑ Engineering, Computer Sc	ience, and Mathematics		
	☐ Medicine, Pharmacology, a	and Veterinary Science		
	Physics, Astronomy, and F	Planetary Science		
	☐ Social Sciences, Arts, and	Humanities		

©2007 Google



private key "software token"

1974

- 2002

Search

Advanced Sch Scholar Prefei Scholar Help

Search only in Engineering, Computer Science, and Mathematics.

C Search in all subject areas.

### Scholar All articles Recent articles

Results 1 - 20 of 20 for private key "software token". (0.08 seconds)

All Results

Smart cards aren't always the smart choice - group of 8 »

Motorola, Inc

D Chadwick - Computer, 1999 - ieeexplore.ieee.org

T Jack

... The benefits of using a smart card as opposed to a software token include ... is a decreased

possibility of copy- ing the smart card's private key because it ...

D Chadwick

Cited by 13 - Related Articles - Web Search

P Kennedy

T Hall

Radio telecommunication device and method of authenticating a user with a voice authentication token - group of 2 »

PR Kennedy, TG Hall, WC Yip - US Patent 6,084,967, 2000 - Google Patents

... In this embodiment, the **software token** securely contains the information that would be embodied ... The access data is encrypted in a **private key** known only to the ...

Cited by 13 - Related Articles - Web Search

Digital signature algorithm for securing digital identities - group of 5 »

T Kwon - Information Processing Letters, 2002 - 140.134.25.71

... the pure **private key** while other storage devices not having hardware protection mechanisms duplicatively store the encrypted **private key** as a **software token**. ...

Cited by 6 - Related Articles - View as HTML - Web Search

Single sign-on architectures - group of 6 »

J De Clercq - Infrastructure Security, International Conference, InfraSec, 2002 - Springer

... If their authentication credentials are valid they receive a ticket (the **software token**). ... s public **key** certificate and the user's **private key** are cached on ...

Cited by 14 - Related Articles - Web Search - BL Direct

Secure wireless electronic-commerce system with digital product certificates and digital license ... - group of 3 »

LC Puhl, DH Vogler, EA Dabbish - US Patent 6,223,291, 2001 - Google Patents

... signed with the CA's private key. Anyone who has the public key for the

CA will be able to verify the encrypted hash. Subsequently ...

Cited by 17 - Related Articles - Web Search

Method and apparatus for secure distribution of authentication credentials to roaming users - group of 3 »

BN Kausik, R Varadarajan - US Patent 6,263,446, 2001 - Google Patents

... One such software token is the so-called software wallet, in which the private key is encrypted with a password or other access-controlled datum. ...

Cited by 8 - Related Articles - Web Search

Security token and method for wireless applications - group of 3 »

PR Kennedy, TG Hall, DA Hardy - US Patent 6,084,968, 2000 - Google Patents

... The **software token** securely contains the information that would otherwise be embodied in a ... are super encrypted, first with a universal **private key** and secondly ...

Cited by 6 - Related Articles - Web Search

Combining World Wide Web and wireless security - group of 12 »

J Claessens, B Preneel, J Vandewalle - Informatica, 2002 - cosic.esat.kuleuven.ac.be

... TLS client authen- tication, for SET, or for digitally signing documents – the **private key** will mostly ... Users with such a **software token** are also hardly mobile ... Cited by 20 - Related Articles - View as HTML - Web Search - BL Direct

Design and Implementation of a Secure, Remote PKI Key Management System

WE Freeman, MA Bellmore, KW Aull, TC Kerr - Technology Review, 2002 - ms.northropgrumman.com

... been a push to migrate PKI implementations from the old **software token** (keys stored ... First is the problem of installing a new **private key** onto the trusted PKI ...

Cited by 2 - Related Articles - View as HTML - Web Search

Method and system for customizing marketing services on networks communicating with hypertext ... - group of 4 »

WJ Tobin - US Patent 6,141,666, 2000 - Google Patents

Page 1. [21] Appi. No.: 08/785,321 [22] Filed: Jan. 21, 1997 [60] [51] [52] [58]

[56] Related US Application Data Provisional application No. 60/017,229, Jan. ...

Cited by 19 - Related Articles - Web Search

<u>Secure wireless electronic-commerce system with wireless network domain</u> - group of 3 »

RL Geiger, JH Lin, R Mehta - US Patent 6,463,534, 2002 - Google Patents ... In this model the CA is the trusted certifying authority. That is, the previously mentioned hash result is signed with the CA's **private key**. ...

Cited by 10 - Related Articles - Web Search

Methods and arrangements for mapping widely disparate portable tokens to a static machine concentric ... - group of 4 »

DC Barlow - US Patent 6,484,259, 2002 - Google Patents

... is assumed that CSPs242 are operatively arranged to support functionsprovided by one or more static hardware/software token devices ... 2) secure private key storage ...

Cited by 2 - Related Articles - Web Search

A context-related authorization and access control method based on RBAC

M Wilikens, S Feriti, A Sanna, M Masera - Proceedings of the seventh ACM symposium on Access control ..., 2002 - portal.acm.org

... Smart Card: Hardware/software token to store in a secure ... These include: user's private key, certificate and PIN number. Certificates generation DRIVE CA ...

Cited by 22 - Related Articles - Web Search

Systems, methods and computer program products for sharing state information between a stateless ... - group of 3 »

JG White - US Patent 6.065.117, 2000 - Google Patents

... A **software token** containing state information is exchanged between ... that is used for symmetric **key** genera -tion ... Internet, and **private** networks often referred to ...

Cited by 11 - Related Articles - Web Search

Awareness and challenges of Internet security Steve Hawkins, David C. Yen, David C. Chou The Authors - group of 5 »

S Hawkins, DC Yen - Information Management & Computer Security, 2000 - emeraldinsight.com ... This type of **key** management technology uses a ... Recruiting educators in the **private** sector who have ... user connects with the server, a **software token** is activated ... Cited by 9 - Related Articles - Web Search - BL Direct

The second generation of digital commerce solutions - group of 4 »

S Mott - Computer Networks, 2000 - Elsevier

... users over cor- porate Virtual **Private** Networks (VPNs ... Further, **key** ÔNet products ± especially digital content ... Maybe the **software token** could be replaced with ...

### Cited by 5 - Related Articles - Web Search

### ARMADA Middleware and Communication Services - group of 13 »

T Abdelzaher, S Dawson, WC Feng, F Jahanian, S ... - Real-Time Systems, 1999 - Springer ... **Key** challenges addressed by the ARMADA project include: timely delivery of services with end-to-end soft/hard real-time constraints; dependability of services ...

Cited by 21 - Related Articles - Web Search - BL Direct

### **IBOOKI Operating Systems and Services**

R Rajkumar - 1999 - books.google.com

... **Key** challenges addressed by the ARMADA project include: timely delivery of services with end-to-end soft/hard real-time constraints; dependability of services ...

Cited by 2 - Related Articles - Web Search - Library Search

# [PS] EtheReal: A Transparent Mechanism for Bandwidth Guarantees over Switched Ethernet Networks

S Varadarajan - DCS State University of New York, 1998 - ecsl.cs.sunysb.edu ... In this mode, it operates as a token bus. A **software token** circulates around the network traversing each host, within a fixed cycle time. ... Cited by 1 - Related Articles - View as HTML - Web Search

# <u>EtheReal: A Fault Tolerant Host-Transparent Mechanism for Bandwidth Guarantees</u> over Switched ...

S VARADARAJAN - 2000 - ecsl.cs.sunysb.edu

Page 1. EtheReal: A Fault Tolerant Host-Transparent Mechanism for Bandwidth Guarantees over Switched Ethernet Networks A DISSERTATION PRESENTED BY ...

Cited by 4 - Related Articles - View as HTML - Web Search - Library Search

private key "software token" Search

Google Home - About Google - About Google Scholar

©2007 Google